Subject Index

A

Acetylcholine receptor 156
– sensitivity 265
Acetylene rebreathing technique 179
Acid-base equilibrium 99
Active extrusion mechanism 202
– Na-K-transport 224
– transport 30
– – of urea 299
Acute saline expansion 260
Adenylate cyclase 10, 145
– – -cyclic AMP system 145
Adipose tissue 169, 256
Adrenalectomy 17
Aerobic metabolism 164
Airway smooth muscle 175
Alpha-Adrenergic control 262
Alveolar P_{CO_2} 56
Anaerobic glycolysis 164
Antidiuresis 152
Antisera against rat urinary and testicular hyaluronidase 152
Apical K^+ channels 22
Applied electric potential gradients 94
Arterial alveolar PCO_2 difference 63
– wall viscosity 113
Asymmetry current 230
Atrial distension 44
– natriuresis 125
Atropine 262
ATP 5
ATP-salt 198
Autoimmune myasthenia gravis 156
Autonomic blockade 262
Avian erythrocytes 278
– red cell 283

B

Base-excess correction coefficient 99
Basic low molecular weight protein 211
Basilar artery 296
Basolateral membrane 202
Benzocaine 230
Beta-adrenergic control 262
$Beta_2$-adrenoceptor 17
Beta-receptor 10
Biological impedance analysis 290
Blood cells 278
– flow 86
– – distribution 44, 216
– – on fatty acid mobilization 169
– pressure 260, 262
– rheology 283
Breathing pattern 63
Brown adipose tissue 1
Brush border membrane vesicles 191
Bufo viridis 299

C

Ca^{2+} activation of K^+ conductance 207
^{45}Ca efflux 256
c-AMP 198
– dependent protein kinase 198
Ca^{2+}, extracellular 296
– transport 145
Ca^+ transport across the rabbit distal nephron segments 145
Ca uptake, cellular (Aorta) 107
Caesium 30
Calcium 175
– -activated force development 161
– activation 198
– current 102, 207
Canine hemoglobin 99
Capillary blood flow 86, 278
– circulation 283
– resistance 94
Capsaicin 219
– -desensitization 219
Carbachol 17
Carbamino-CO_2 99
Carbon dioxide 99
Cardiac adenylate cyclase system 10
– denervation 125
– hypertrophy 5
– muscle 237
– nerves 125
– output 179
– purkinje fibers 102
Cardiomegaly 5
Cardiovascular responsiveness, development of 262
Cation adsorption 22
– permeability 30
– selectivity of Henle's loop 30
Cell calcium 256
– electrolyte concentration 202
– glucose concentration 202
Cellular ^{45}Ca uptake 107
– Na content 107
Cesium 102
Chemical sympathectomy 17
Chemically skinned fibres of smooth muscle 198
Chloride reabsorption 38
– transport 38
Cholecystokinin (CCK-8) 17
Choline 30, 38
Circulation, in capillaries 283
Circumferential wall stress 113
Clearance of PAH 186
Cold 224
– adaptation 224
– blockade 63
– stage 54
Collecting duct 131
Comparative rheology 278, 283
Compressed skinned muscle fibers 161
Computer-controlled sequential stimulation 164
Concentrating ability 138
Contractile properties of soleus 73
Contractility 73
Cortical thick ascending limb 38
Cortical thick ascending limb of Henle's loop 30
Cotransport, NaCl, renal 38
Cross-reinnervation 246
Current clamp 237
– fluctuation analysis 156
– -voltage relationship 207
Cyclic AMP 145
– – accumulation 49
– – , Ca^{2+} 49
– – mediated relaxation 198
Cytochrome *c* 211

D

DB-cAMP 145
Deoxicorticosterone 260
Desert rodent 138
Development of responsiveness to pharmacological blockade 262
Differential vagal cold-blockade 63
Diffusion potentials across epithelium 30
Digestive system CBF 86
Dissociated smooth muscle cell 207
D-Lactate 80
DNA 5
DOCA-salt hypertensive rats 260
Dopamine 296
Duration of the action potential 237
Dynamic elastic modulus 113

E

Eccrine sweat secretion 49
Elastic arteries 113
– and viscous properties of elastic arteries 113
Electrical potential difference, loop of Henle 30
Electric field effects 94
– potential gradients 94
Electron probe analysis 54
– – Na, K, Cl 54
Electrophoretic motion 94
Electroviscous flow 94
Endocytosis 211
Energy dissipation (E) 224
Erythrocyte deformability 94
– deformation 278
– flow time 94
– microrheology 278
Euthyroid, hypothyroid and hyperthyroid mice 224
Excitation-contraction coupling 237
Excretion 164
Exercise 179
Experimental autoimmune myasthenia gravis (EAMG) 156
Extracellular fluid volume 270
Extraction of ^{86}Rb 216
Extrajunctional acetylcholine sensitivity 265

F

Facilitated diffusion 299
Fahraeus effect 283
Fast and slow twitch muscles 164
– twitch skeletal muscle 73

Subject Index

A

Acetylcholine receptor 156
– sensitivity 265
Acetylene rebreathing technique 179
Acid-base equilibrium 99
Active extrusion mechanism 202
– Na-K-transport 224
– transport 30
– – of urea 299
Acute saline expansion 260
Adenylate cyclase 10, 145
– – -cyclic AMP system 145
Adipose tissue 169, 256
Adrenalectomy 17
Aerobic metabolism 164
Airway smooth muscle 175
Alpha-Adrenergic control 262
Alveolar P_{CO_2} 56
Anaerobic glycolysis 164
Antidiuresis 152
Antisera against rat urinary and testicular hyaluronidase 152
Apical K^+ channels 22
Applied electric potential gradients 94
Arterial alveolar PCO_2 difference 63
– wall viscosity 113
Asymmetry current 230
Atrial distension 44
– natriuresis 125
Atropine 262
ATP 5
ATP-salt 198
Autoimmune myasthenia gravis 156
Autonomic blockade 262
Avian erythrocytes 278
– red cell 283

B

Base-excess correction coefficient 99
Basic low molecular weight protein 211
Basilar artery 296
Basolateral membrane 202
Benzocaine 230
Beta-adrenergic control 262
$Beta_2$-adrenoceptor 17
Beta-receptor 10
Biological impedance analysis 290
Blood cells 278
– flow 86
– – distribution 44, 216
– – on fatty acid mobilization 169
– pressure 260, 262
– rheology 283
Breathing pattern 63
Brown adipose tissue 1
Brush border membrane vesicles 191
Bufo viridis 299

C

Ca^{2+} activation of K^+ conductance 207
^{45}Ca efflux 256
c-AMP 198
– dependent protein kinase 198
Ca^{2+}, extracellular 296
– transport 145
Ca^+ transport across the rabbit distal nephron segments 145
Ca uptake, cellular (Aorta) 107
Caesium 30
Calcium 175
– -activated force development 161
– activation 198
– current 102, 207
Canine hemoglobin 99
Capillary blood flow 86, 278
– circulation 283
– resistance 94
Capsaicin 219
– -desensitization 219
Carbachol 17
Carbamino-CO_2 99
Carbon dioxide 99
Cardiac adenylate cyclase system 10
– denervation 125
– hypertrophy 5
– muscle 237
– nerves 125
– output 179
– purkinje fibers 102
Cardiomegaly 5
Cardiovascular responsiveness, development of 262
Cation adsorption 22
– permeability 30
– selectivity of Henle's loop 30
Cell calcium 256
– electrolyte concentration 202
– glucose concentration 202
Cellular ^{45}Ca uptake 107
– Na content 107
Cesium 102
Chemical sympathectomy 17
Chemically skinned fibres of smooth muscle 198
Chloride reabsorption 38
– transport 38
Cholecystokinin (CCK-8) 17
Choline 30, 38
Circulation, in capillaries 283
Circumferential wall stress 113
Clearance of PAH 186
Cold 224
– adaptation 224
– blockade 63
– stage 54
Collecting duct 131
Comparative rheology 278, 283
Compressed skinned muscle fibers 161
Computer-controlled sequential stimulation 164
Concentrating ability 138
Contractile properties of soleus 73
Contractility 73
Cortical thick ascending limb 38
Cortical thick ascending limb of Henle's loop 30
Cotransport, NaCl, renal 38
Cross-reinnervation 246
Current clamp 237
– fluctuation analysis 156
– -voltage relationship 207
Cyclic AMP 145
– – accumulation 49
– – , Ca^{2+} 49
– – mediated relaxation 198
Cytochrome *c* 211

D

DB-cAMP 145
Deoxicorticosterone 260
Desert rodent 138
Development of responsiveness to pharmacological blockade 262
Differential vagal cold-blockade 63
Diffusion potentials across epithelium 30
Digestive system CBF 86
Dissociated smooth muscle cell 207
D-Lactate 80
DNA 5
DOCA-salt hypertensive rats 260
Dopamine 296
Duration of the action potential 237
Dynamic elastic modulus 113

E

Eccrine sweat secretion 49
Elastic arteries 113
– and viscous properties of elastic arteries 113
Electrical potential difference, loop of Henle 30
Electric field effects 94
– potential gradients 94
Electron probe analysis 54
– – Na, K, Cl 54
Electrophoretic motion 94
Electroviscous flow 94
Endocytosis 211
Energy dissipation (E) 224
Erythrocyte deformability 94
– deformation 278
– flow time 94
– microrheology 278
Euthyroid, hypothyroid and hyperthyroid mice 224
Excitation-contraction coupling 237
Excretion 164
Exercise 179
Experimental autoimmune myasthenia gravis (EAMG) 156
Extracellular fluid volume 270
Extraction of ^{86}Rb 216
Extrajunctional acetylcholine sensitivity 265

F

Facilitated diffusion 299
Fahraeus effect 283
Fast and slow twitch muscles 164
– twitch skeletal muscle 73

Fatty acid transport 169
Fetal blood pressure 262
– heart 262
Filling intracellular reference microelectrodes 96
Flow dependent extraction of ^{86}Rb 216
Fluctuation analysis 22
Force development 296
– inhibition 161
– production in compressed skinned muscle fibers 161
Free fatty acid (FFA) carrier 169
Frog skin 22
Furosemide 30, 38

G

Gating kinetics 22
Gaussian noise 290
Genetically obese (fa/fa) zucker rat 10
Gestation 262
Glucose 17
– transport 202
Glycerol 169
Glucagon 10

H

Heart rate 262
Heat stress effects 86
Hematocrit 283
Hemoglobin 99
Henle's loop 30
Hepatic receptors 270
Hexosamine content 152
Hill-coefficient 156
Homeostatis 125
Hormone receptor 120
– -stimulated cardiac adenylate cyclase 10
Hyaluronidase 152
Hydrogen ion concentration 99
Hydropenia 131
6-Hydroxydopamine 17
Hypercapnia 63
Hyperglycemia 202
Hyperoxia 63
Hypertension 260
Hypertensive rats 256
Hyperthermia 86
Hyperthyroidism 73
Hypothalamic obesity 1
Hypothyroid rats 186

I

Immunization with acetylcholine receptor 156
Immunosympathectomy 256
Impedance analysis 290
Inactivation dependent relaxation 175
Inorganic phosphate 191
Inotropic effects of potassium rich solutions 237
Input/output properties 290
Insulin secretion 17
Internodes 288
Inward calcium current 102
Ion-exchanger 96
Inophoresis, quantitative 156
Isolated guinea-pig aorta 107
– – placenta 80
– perfused rabbit tubule 38
Isometric contractions 164
– tension 198
Isomyosins 246
Isoproterenol 5, 49
Intracellular calcium pool 256
– ion substitution 102
– membrane potential 296
Intrahypothalamic injections 219
Intraportal infusions 270
Intrarenal blood flow distribution 44

J

Jejunum 202

K

K/Ca exchange 237
KCl 96
K^+ conductance 207
K^-, Rb-uptake 250
Kidney 30, 38, 131
–, basic protein transport 211
–, ^{86}Rb extraction 216
–, sodium excretion, regulation of 125
Kyoto-Wistar (NKWR) rats 256

L

Lactate carrier 80
L-Lactate 80
Laser differaction pattern 70
Laying hen 86
Left atrial distension 44
Lipolytically active adipose tissue 169
Liquid ion-exchanger 96
Lithium 30
Liver receptors 270
Load-insensitive relaxation 175
Loop of Henle 38
Lorentzian component in I_K noise spectrum 22
Low molecular weight protein 211
– -Na solution 107
– temperature (22°C) 30
– temperatures 54

M

Mass-spectrometer 179
Maturation 219
Maximal exercise 179
Medullary collecting duct 131
– hexosamine content 152
Membrane activation of smooth muscle 296
– depolarization 296
– vesicles 191
Menstrual cycle 56
Methacholine 49
Microcalorimetry 224
Microcatheterization 131
Microdroplets 54
Microperfusion 211
Microrheology 278
Microspheres 44, 86, 216
Mitochondrial membrane proteins 120
– metabolism 120
Mitral stenosis 125
Motor unit discharge 164
Mucopolysaccharides 152
Muscle 224, 246
– blood flow 44
– cells 207
– fibers 161
– fibre diameter 70
– – membrane 265
– models 113
–, red and white 164
–, skeletal 250
Myasthenic rat end-plates 156
Myelinated nerve 230, 288
Myocardial pyrimidine nucleotides 5
Myoglobin 211
Myosin light chains 198, 246

N

Na/Ca exchange 237
Na-Ca exchange mechanism 107
Na, cellular content (Aorta) 107
Na channel 230
Na^+-coupled transport 191
Na-K-ATPase 250
Na-K-transport 224
Na^+ reabsorption 186
Neonates 219
Nephron segments perfused in vitro 145
Nerve fractionation 265
– membrane 230
– peptides 265
– stimulation 1
Neuromuscular junction 156
– transmission 156
N^6,O^2-dibutyryl cyclic AMP 145
Noise 290
Non-shivering thermogenesis 224
Noradrenaline (NA) 224
Normocapnia 63
Nucleated and non-nucleated red blood cells 278
– erythrocytes 283
Nucleotides 5
Nystatin 102

O

Obese (fa/fa) zucker rat 10
Obesity 1
Octanol 96
Open-close kinetics of fluctuating K^+ channels 22
Osmolality 270
Osmotic compression 161
Ouabain 30, 38, 224, 250
– -sensitive channels 250
Outward current 102
Oxy- and deoxyhemoglobin 99
Oxygen 99
– -linked hydrogen ion binding 99
– uptake 179
Oxytocin 299

P

Paired tracer dilution 80
Paracellular shunt 30
Parasympathetic control 262

Parathyroid hormone 145
P_{CO_2} control 56
Peptide component of peripheral nerve 265
Peripheral 265
– immunosympathectomy 256
pH dependence 191
Phentolamine 262
Phloretin 80, 299
Phosphate 145
– transport 191
Physostigmine 250
Placenta 80
Plasma albumin 169
Polymer rheology 113
Polyvalent metal ions 22
Portal circulation 270
Potassium flux pathways 250
– ions 237
Progesterone-induced hyperventilation 56
Propranolol 262
Protein/DNA ratio 186
– kinase 198
Proximal tubular lysozyme reabsorption 211
Pseudo random binary signals 290
Pulmonary stretch receptors 63
– tissue volume 179
Purkinje fibers 102
Pyrimidine nucleotides 5

R

Rapid transfer function measurements 290
^{86}Rb extraction 216
Rebreathing and steady-state 179
Recycling of urea 138
Red and white muscles 164
Red blood cells 278, 283
Redistribution of blood flow 86
Reference microelectrode 96
Regional blood flow 169
Regulation of ion composition 270
Regulatory non-shivering thermogenesis 224
Relaxation of tetanized smooth muscle 175
Renal accumulation of lysozyme 211
– blood flow 44, 216
– brush border membrane vesicles 191
– concentrating ability 138
– distal tubular segments 145
– function 138
– growth 186
– medullary hexosamine content 152
– NaCl transport (Henle's loop) 38
– sodium excretion, regulation of 125
– – reabsorption 186
– tubule 191
– urea transport 131
– vascular organization 138
Renin-angiotensin-system 125
Reproductive system 86
Resistance (R_T) 30
Rest 179
Rheology 278, 283
RNA 5
RNA/DNA ratio 186
Rubidium 30

S

Saline expansion 260
Salt water homeostasis 270
Sciatic nerve 265
Secondary active chloride transport 38
Secretin 10
Shear forces 278
Signal-to-noise ratio 290
Single muscle fibre diameter 70
Skeletal muscle 73, 224, 250
– – fibers 161
Skinned fibres of smooth muscle 198
Slow inward calcium current 102
– twitch muscles 164
– – skeletal muscle 73
Smooth muscle 175, 198
– – cells 207
– tone 113
Sodium, cellular content (Aorta) 107
– chloride 260
– – cotransport 38
– excretion 44
– – in conscious dogs 125
– transport 202
Soleus myosins 246
Spermine and basic amino acids 211
Spinal cord roots 265
Spontaneously hypertensive rats 256
Striated muscle blood flow 44
Structure-function relationship 138
Submaximal and maximal exercise 179
– isometric contraction 164
Sucrose gap 237
Surface membrane 250
Sympathectomy 17
Sympathetic activity 262

T

Tension 237
Terbutaline 17
Testicular hyaluronidase 152
Tetanized canine tracheal smooth muscle 175
Tetraethylammonium 30, 38
Thermogenesis 224
Thermoreceptors 219
Thermoregulation 86, 219
Thick ascending limb 38
– – – of Henle's loop 30
Thixotropy 113
Toad skin 299
Tonicity changes 70
Tonic phase of contraction 237
Tracer dilution 80
Tracheal smooth muscle 175
Transepithelial electrical potential difference (PD) 38
– specific 30
– – resistance (R_T) 38
Transfer function measurements 290
Transintestinal glucose and sodium transport 202
Transient outward current 102
Transverse tubules 250
Triiodothyronine (T_3) 73, 120
– on renal growth 186
Tris-hydroxymethyl-aminomethane 30, 38
Triton X-100 120, 198

U

Urea 299
– handling 131
– infusion 131
Urinary qnd testicular hyaluronidase 152
Urine volume 44, 125
UTP 5

V

Vagally mediated facilitation 63
Vascular smooth muscle 107, 113
Vasoactive intestinal peptide 10
Vasopressin 260
Vasopressor mechanism 260
Ventilatory CO_2 response 56
– – responsiveness 63
– -sensitivity 63
Ventromedial hypothalamic lesions 1
Viscosity 238, 278
Voltage clamp 102, 207, 230, 237, 288
– sensitive channels 296
Volume regulation 125

W

Water homeostatis 125
– -loading in the rat 152
– -salt homeostasis 270

X

^{133}Xe washout 169

NIH LIBRARY
8 0005 3787